

# CE Certified 38.5 Ton Excavator - Great Crawler Digger for Large-Scale Ground Construction

## Specifications :

|                    |                        |
|--------------------|------------------------|
| Price              | Contact us             |
| Brand Name         | Topkitparts            |
| Model Number       | 38.5 Ton Excavator     |
| Place of Origin    | China                  |
| Min.Order Quantity | 1                      |
| Payment Terms      | L/C,T/T,D/P,D/A,Paypal |
| Supply Ability     | 100                    |
| Delivery Detail    | 3-7                    |


## Detail Introduction :

### **CE 36.8 ton large excavator great excavator crawler digger for sale prices suit large scale ground construction**

We have a complete and rigorous excavator production line, which can be customized and mass-produced in the factory, and we have a professional after-sales team, your purchase and use will be the best guarantee.

Support multi-function operation, fast attachment of accessories, excavation, crushing, trench cleaning, drilling and bulldozing;The large excavator is aimed at construction machinery and earthwork. It can complete the project at a lower cost and higher efficiency. It is a very good large machine and very cost-effective! And we have after-sales outlets in the world, which can better serve customers;

Warranty period: within one year after delivery / 2000 working hours, if there is any quality problem, we will provide you with accessories for free.Provide customized services, your exclusive shopping agent, personalized purchase, you are born different from others!(The shelf life of large excavators is 2 years/3000H)



|  |         |
|--|---------|
| Machine type                               | LT1385  |
| Weight (T)                                 | 36.8    |
| Bucket capacity (m³)                       | 1.6-1.9 |
| Power (kw/r/min)                           | 212/200 |
| A-Total length (mm)                        | 11080   |
| B-Total width (mm)                         | 3190    |
| C-Total height (top of boom) (mm)          | 3180    |
| D-Total height (driving top) (mm)          | 3280    |
| E-Ground clearance of counterweight (mm)   | 1210    |
| F-Minimum ground clearance (mm)            | 495     |
| G-Tail radius of gyration (mm)             | 3420    |
| H-Crawler grounding length (mm)            | 4030    |
| J-Track length (mm)                        | 4955    |
| K-Gauge (mm)                               | 2590    |
| L-Track width (mm)                         | 3190    |
| M-Track shoe width (mm)                    | 600     |
| N-Tumtable width (mm)                      | 2995    |
| O-Max digging height (mm)                  | 9800    |
| P-Max unloading height (mm)                | 6830    |
| Q-Maximum digging depth (mm)               | 6890    |
| R-Maximum vertical wall digging depth (mm) | 6000    |
| T-Maximum digging distance (mm)            | 10800   |